

SAFETY DATA SHEET (SDS) Section 1. Identification

	Section 1. Identi	ification		
Product identifier	CD-1000 AEROSOL			
Other means of identificati	on 596			
Recommended use and res	trictions on use STEEL CABLE LUBRICANT	Γ/AEROSOL		
Initial supplier identifier	PROLAB TECHNOLUB INC. 4531 RUE CANADA TEL. (418) 423-2777 FAX : (418)		INES, (QUEBEC), G6H 2J1,	
Emergency telephone num		24 hour number 613-996-6666		
	Section 2. Hazard id			
	product (name of the category or subcategory			
Extremely flammable aeroso				
Gas under pressure (compress	ssed gas)			
Skin irritation (Category 2)				
Eye irritation (Category 2A)				
Aspiration hazard (Category				
	v - single exposure (Category 3), Central nervous			
Information elements (sym	bols, signal words, hazard statements and prec	cautionary statements of the catego	ry/subcategory)	
 Danger H222 Extremely flammable aerosol. H229 Pressurized container: may burst if heated. H200 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes or dizziness. **** May displace oxygen and cause rapid suffocation. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source P251 Do not pierce or burn, even after use. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection face protection. P301+P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302+P352 IF ON SKIN, Wash with plenty of water for several minutes. P332 + P313 If skin irritation occurs: Get medical attention. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P410+P412+P403+P233 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated area. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. 				
Other hazards known	Simple Asphyxiants (Category 1) A gas that	is a simple asphyxiant***		
	Section 3. Composition/inform			
Chamical name (commerce			Concentration (0/)	
Chemical name (common r	iame/synonyms)	CAS number or other	Concentration (%)	
Aliphatic naphtha	/ · · · · · · · · · · · · · · · · · · ·	64741-65-7	< 40	
	a (with other distillates and base oil mixture)	64742-48-9	< 60	
Zinc dialkyldithiophosphate		68649-42-3	< 5	
Mixture of mineral oils		64741-88-4 < 5		
		64742-58-1		
		64742-62-7		
Isobutane		75-28-5	< 40	
Propane		74-98-6	< 40	



	Section 4. First-aid measures			
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.			
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is			
	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two gla			
	of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.			
Skin contact	IF ON SKIN, Wash with plenty of water for several minutes (15-20). If skin irritation occurs: Get medical attention.			
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue			
	rinsing. If eye irritation persists: Get medical attention.			
Most important	symptoms and effects (acute or delayed) May be harmful if swallowed and enters airways.			
Indication of im	mediate medical attention/special treatmentIn all cases, call a doctor. Do not forget this document.			
	Section 5. Fire-fighting measures			
Specific hazards	s of the hazardous product (hazardous combustion products)			
	nd other irritant/toxic gases and fumes.			
	suitable extinguishing media			
In case of fire: U	se carbon dioxide, chemical powder agent and appropriate foam to extinguish.			
Special protectiv	ve equipment and precautions for fire-fighters			
During a fire, irri	tating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear prope			
	nent and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans			
Move containers	from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.			
	Section 6. Accidental release measures			
	tions, protective equipment and emergency procedures			
	area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should			
wear the appropri	ate protective equipment (See Section 8).			
	aterials for containment and cleaning up			
	the environment. Collect spillage. Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled			
	e with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent materia			
may pose the sam	he hazards as the spilled product. Notify the appropriate authorities as required.			
	Section 7. Handling and storage			
Precautions for				
Protect from sunl	ight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from heat/sparks/open flames/hot surfaces No smoking			
Do not spray on a	an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Wash			
hands/nails/face	thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear gloves/protective			
	ection/face protection.			
	it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiend			
	ng followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers			
	handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid			
	s, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep			
	npatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to			
Section 8.				
	afe storage, including any incompatibilities			
Store in a well-v	entilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10)			
	ning containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear o			
obstruction and a	ccessible only to trained personnel. Inspect periodically for damage or leaks.			
	Section 8. Exposure controls/Personal protection			
	ters (biological limit values or exposure limit values and source of those values)			
Exposure limits:	CAS 74-98-6 & 75-28-5 – ACGIH – TLV-TWA (STEL) and/or PEL-TWA 1000 ppm;			
	zineering controls			
Use under well-v	entilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure			
	ergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.			
Individual prote	ection measures/personal protective equipment			
	ection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits			
	emically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn			
	ng operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly			
	o not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash			
0	rk clothing before re-use.			



	- i i g i g		Soc	tion 0 Dhysical and a	homicalr	monortio			
Section 9. Physical and ch								11	
	Appearance, physical state/colour Yellow liquid (aerosol)								
Odour Characteristic				Vapour density Heavier than air		han air			
	Odour threshold Not available				Relative density 0.8548				
pH Not av					Solubilit	•	vailable		
Melting/freez							nt - n-octan		
Initial boiling			wailable		Auto-ignition temperature Not available				
Flash point		•	(flame projection	n > 15 cm & no	Decomp	osition ten	iperature	Not available	
		back)							
Evaporation		Not available			Viscosity 8 cSt @ 40°C				
Flammability				nmable aerosol	VOC	Not availa			
Upper and lo	wer fl	ammability/exp	olosive limits	Not available	J	None know	wn		
				Section 10. Stability	and reac	tivity			
Reactivity									
Does not react	under	the recommende	ed storage and h	andling conditions prescri	ibed.				
Chemical sta									
Stable under th	ne reco	mmended storag	e and handling	conditions prescribed.					
		dous reactions							
Accumulation	of fla	mmable if prod	uct is heated. I	Do not spray on an open	flame or ot	ther ignitio	n source. D	o not pierce or burn, even after use.	
				es exceeding 50 °C/122 °I					
Conditions to	o avoid	l (static dischar	ge, shock or vi	bration)					
Keep away fro	om hea	at, hot surfaces,	sparks, open fla	ames and other ignition s	ources. No	smoking.	Do not spra	y on an open flame or other ignition	
source. Do no	t pierc	e or burn, even a	after use. Protec	t from sunlight. Do not e	xpose to te	mperatures	exceeding	50 °C/122 °F.	
Incompatible	mate	rials							
Oxidizing mat	terials;	etc.							
Hazardous de	ecomp	osition product	ts						
None known									
				Section 11. Toxicologi	ical infor	mation			
Information	on the	likely routes of		alation, ingestion, skin a					
							May cause d	rowsiness or dizziness. May displace	
	May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May displace oxygen and cause rapid suffocation.								
			chemical and	toxicological characteris	stics				
						tract irrita	tion. cough	ing, shortness of breath, dizziness,	
drowsiness, na			, _j	,					
			ronic effects fi	om short-term and long	z-term exp	osure)			
		No data availab			,	•••••			
	Respiratory Sensitization – No data available;								
1 V	Germ Cell Mutagenicity – No data available;								
Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA;									
	Reproductive Toxicity – No data available;								
Specific Target Organ Toxicity — Single Exposure – Central nervous system;									
Specific Targe	Specific Target Organ Toxicity — Repeated Exposure – No data available;								
Aspiration Ha	Aspiration Hazard – Possible;								
Health Hazards Not Otherwise Classified – No data available.									
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)									
CAS 75-28-5 LC ₅₀ 658000 mg/m ³ 4 hrs (rat);									
ATE not available in this document.									
Section 12. Ecological information									
Ecotoxicity (aquatic and terrestrial information) No data available for this product.									
Persistence and degradability No data available for this product.									
Bioaccumulative potential No data available for this product.									
	Mobility in soil No data available for this product.								
Other advers									
				Section 13. Disposal	consider	ations			
Information	on saf	e handling for d	lisposal/metho						
	Information on safe handling for disposal/methods of disposal/contaminated packaging Dispose of contents/container into safe container in accordance with local, regional or national regulations.								
Dispose of Col									



00 33	5	Section 14. Transport information			
UN number: P	roper chinning name: Class(es):	Packing group (PG) of the TDG Regulations			
	SOLS; CLASS 2.1	Tacking group (1 G) of the TDG Regulations			
		Packing group (PG) of the IMDG (maritime)			
	SOLS; CLASS 2.1	racking group (rG) of the INIDG (maritime)			
		Decking many (DC) of the IATA (cir)			
		Packing group (PG) of the IATA (air)			
,	DSOLS, FLAMMABLE; CLASS				
	tions (transport/conveyance)	May also be shipped as a LIMITED QUANTITY in accordance with TDG.			
		None			
Bulk transport	(usually more than 450 L in cap				
		Section 15. Regulatory information			
Safety/health Canadian regulations specifics		Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).			
Environmental	Canadian regulations specifics				
	nvironmental outside regulation				
		regulated according to OSHA (29 CFR).			
		ency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.			
	CSA information: Refer to the ing				
	rotection Association (NFPA):				
HEALTH: 1					
		2 = Moderate $3 = Serious$ $4 = Severe$			
		n traces of a material known to the State of California to cause cancer or other reproductive harm.			
Cumornia Propo	sition of this product hug contai	Section 16. Other information			
Data of the late	est revision of the safety data she				
References		cturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations	Safety Data Sheets from manura	eturen/supplier & from Canadian Centre for Occupational Health and Safety, CCOFIS.			
ACGIH	American Conference of Gover	nmental Industrial Hydianists			
ACOM	Acute toxicity estimate	innentai muusutai riygiemsis			
CAS	Chemical Abstract Service				
DSL	Domestic Substance List				
IARC	International Agency for Research on Cancer				
IATA	International Air Transport Ass				
IMDG	International Maritime Dangerous Goods Code				
LC	Lethal concentration				
LD	Lethal Dosage				
NIOSH	National Institute for Occupation	nal Safety and Health			
NTP	National Toxicology Program (
OSHA	Occupational Safety and Health Administration (U.S.A.)				
PEL	Permissible Exposure Limit				
STEL	Short-term Exposure Limit				
TDG	Transport of dangerous goods in Canada				
TLV	Threshold Limit Value				
TSCA	Toxic Substances Control Act				
TWA	Time Weighted Average				
WHMIS	Workplace Hazardous Materials Information System				
The information		led from sources considered dependable and is accurate to the best of PROLAB TECHNOLUB INC. 's			
		warranty whatever expresses or implied of merchantability or fitness for the particular purpose.			

knowledge. **PROLAB TECHNOLUB INC.** Makes no warranty whatever expresses or implied of merchantability or fitness for the particular purpose. The information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Customers are encouraged to conduct their own tests. Before using the product, read its label. **PROLAB TECHNOLUB INC.** Assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.